


Produzione - spinoff-flow: Flusso Spin-off

- [Grafico del flusso](#)
- [Descrizione](#)
- [Etichette Stati](#)
- [Modello Dati](#)
- [Configurazioni](#)
- [Permessi](#)
- [Validazioni](#)
- [Logiche \(action/start\)](#)

Grafico del flusso

HELPDESK
(HD)

- read
- ◇ read/write
- read/write/delete
- + parametric permissions



Descrizione

WORK IN PROGRESS "BETA"

Etichette Stati

I nomi degli stati possono essere personalizzati con la funzione di **Gestione etichette**.
Nella tabella sottostante vengono riportati tutti gli stati previsti dal flusso con relativa etichetta e valore di default.
Vengono anche fornite le etichette per i vari bottoni che consentono lo spostamento di stato.
Di default vengono utilizzate le etichette dei bottoni per lo stato successivo, è possibile configurare il flusso in maniera tale da utilizzare anche le etichette dei bottoni per lo stato precedente.
Esempio di utilizzo: l'oggetto si trova nello stato in attesa di essere validato, i possibili stati di cambio sono bozza e operativo. Il bottone per lo stato operativo utilizzerà l'etichetta per lo stato successivo, mentre il bottone per lo stato bozza utilizzerà l'etichetta per lo stato precedente.

Identificativo stato	Chiave etichetta stato	Valore default stato	Etichetta del bottone stato successivo	Etichetta del bottone stato precedente	Valore etichetta del bottone stato successivo	Valore etichetta del bottone stato precedente
draft	wfState.spi.draft	Bozza	button.forward.to.spi.draft	button.backward.to.spi.draft	Invia in "Bozza"	Riporta in "Bozza"
inquiry	wfState.spi.inquiry	Istruttoria	button.forward.to.spi.inquiry	button.backward.to.spi.inquiry	Invia in istruttoria	Riporta in "Istruttoria"
abandoned	wfState.spi.abandoned	Abbandonato	button.forward.to.spi.abandoned	button.backward.to.spi.abandoned	Abbandona	Riporta in "Abbandonato"
archived	wfState.spi.archived	Archiviato	button.forward.to.spi.archived	button.backward.to.spi.archived	Archivia	Riporta in "Archiviato"
suspended	wfState.spi.suspended	Sospeso	button.forward.to.spi.suspended	button.backward.to.spi.suspended	Sospendi	Riporta in "Sospeso"
rejected	wfState.spi.rejected	Rigettato	button.forward.to.spi.rejected	button.backward.to.spi.rejected	Respingi	Riporta in "Rigettato"
accreditation	wfState.spi.accreditation	In accreditamento	button.forward.to.spi.accreditation	button.backward.to.spi.accreditation	Avvia accreditamento	Riporta in "In accreditamento"
constitution	wfState.spi.constitution	In costituzione	button.forward.to.spi.constitution	button.backward.to.spi.constitution	Avvia costituzione	Riavvia processo di Costituzione
active	wfState.spi.active	In attività	button.forward.to.spi.active	button.backward.to.spi.active	Concludi costituzione	Concludi/rettifica monitoraggio
monitoring	wfState.spi.monitoring	Monitoraggio	button.forward.to.spi.monitoring	button.backward.to.spi.monitoring	Avvia monitoraggio	Riporta in "Monitoraggio"
expired	wfState.spi.expired	Scaduto	button.forward.to.spi.expired	button.backward.to.spi.expired	Invia in "Scaduto"	@button.backward.to.spi.expired@
sold	wfState.spi.sold	Ceduto	button.forward.to.spi.sold	button.backward.to.spi.sold	Invia in "Ceduto"	Concludi/rettifica monitoraggio
liquidated	wfState.spi.liquidated	Liquidato	button.forward.to.spi.liquidated	button.backward.to.spi.liquidated	Invia in "Liquidato"	Riporta in "Liquidato"

Modello Dati

Il dettaglio del modello dati associato a questo flusso è disponibile alla seguente pagina [Produzione - Modello dati \(spinoff - SPI\)](#)

Configurazioni

Le configurazioni associate a questo flusso sono disponibili alla seguente pagina: [Produzione - IRIS AP-RM Configurazioni: Spin-off \(spinoff - SPI\)](#)

Permessi

Nella seguente sezione viene riportato il dettaglio dei permessi e delle transizioni di stato possibili per tutti gli attori del flusso.
Per quanto riguarda le transizioni di stato vengono riportati gli identificativi degli stati verso i quali è possibile effettuare la transizione.
Quando viene riportato il marcatore "__PREVIOUS_STATE__" significa che la transizione di stato è consentita verso lo stato precedente.
Di seguito la legenda dei permessi:

- c: create (disponibile solo per il primo stato del flusso)
- r: read
- w: write
- d: delete
- f: forward

Viene, inoltre, fornito dettaglio dei TAB disponibili (quelli in sola lettura presentano il suffisso readonly)

Stato	Attori	Permessi	Transizioni	Tab
Bozza (draft)	Helpdesk (helpdesk)	c r w d f	inquiry,archived,suspended	• Dati generali (spinoff/form1) • Proponenti (spinoff/form2) • Istruttoria e Accreditamento (spinoff/form3) • Organi e Responsabili (spinoff/form4) • Personale, Bilancio e IP (spinoff/form5) • Accordi e Progetti (spinoff/form6) • Storico Monitoraggi (spinoff/form7) • Allegati (spinoff/form8)

Istruttoria (inquiry)	Helpdesk (helpdesk)	r w d f	draft,accreditation,abandoned,suspended,rejected	• Dati generali (spinoff/form1) • Proponenti (spinoff/form2) • Istruttoria e Accreditamento (spinoff/form3) • Organi e Responsabili (spinoff/form4) • Personale, Bilancio e IP (spinoff/form5) • Accordi e Progetti (spinoff/form6) • Storico Monitoraggi (spinoff/form7) • Allegati (spinoff/form8)
Abbandonato (abandoned)	Helpdesk (helpdesk)	r w d f	inquiry	• Dati generali (spinoff/form1) • Proponenti (spinoff/form2) • Istruttoria e Accreditamento (spinoff/form3) • Organi e Responsabili (spinoff/form4) • Personale, Bilancio e IP (spinoff/form5) • Accordi e Progetti (spinoff/form6) • Storico Monitoraggi (spinoff/form7) • Allegati (spinoff/form8)
Archiviato (archived)	Helpdesk (helpdesk)	r w d f	draft	• Dati generali (spinoff/form1) • Proponenti (spinoff/form2) • Istruttoria e Accreditamento (spinoff/form3) • Organi e Responsabili (spinoff/form4) • Personale, Bilancio e IP (spinoff/form5) • Accordi e Progetti (spinoff/form6) • Storico Monitoraggi (spinoff/form7) • Allegati (spinoff/form8)
Sospeso (suspended)	Helpdesk (helpdesk)	r w d f	draft,inquiry	• Dati generali (spinoff/form1) • Proponenti (spinoff/form2) • Istruttoria e Accreditamento (spinoff/form3) • Organi e Responsabili (spinoff/form4) • Personale, Bilancio e IP (spinoff/form5) • Accordi e Progetti (spinoff/form6) • Storico Monitoraggi (spinoff/form7) • Allegati (spinoff/form8)
Rigettato (rejected)	Helpdesk (helpdesk)	r w d f	inquiry	• Dati generali (spinoff/form1) • Proponenti (spinoff/form2) • Istruttoria e Accreditamento (spinoff/form3) • Organi e Responsabili (spinoff/form4) • Personale, Bilancio e IP (spinoff/form5) • Accordi e Progetti (spinoff/form6) • Storico Monitoraggi (spinoff/form7) • Allegati (spinoff/form8)
In accreditation (accreditation)	Helpdesk (helpdesk)	r w d f	inquiry,constitution	• Dati generali (spinoff/form1) • Proponenti (spinoff/form2) • Istruttoria e Accreditamento (spinoff/form3) • Organi e Responsabili (spinoff/form4) • Personale, Bilancio e IP (spinoff/form5) • Accordi e Progetti (spinoff/form6) • Storico Monitoraggi (spinoff/form7) • Allegati (spinoff/form8)
In costituzione (constitution)	Helpdesk (helpdesk)	r w d f	accreditation,active	• Dati generali (spinoff/form1) • Proponenti (spinoff/form2) • Istruttoria e Accreditamento (spinoff/form3) • Organi e Responsabili (spinoff/form4) • Personale, Bilancio e IP (spinoff/form5) • Accordi e Progetti (spinoff/form6) • Storico Monitoraggi (spinoff/form7) • Allegati (spinoff/form8)
In attività (active)	Helpdesk (helpdesk)	r d f	monitoring	• Dati generali (spinoff/form1) • Proponenti (spinoff/form2) • Istruttoria e Accreditamento (spinoff/form3) • Organi e Responsabili (spinoff/form4) • Personale, Bilancio e IP (spinoff/form5) • Accordi e Progetti (spinoff/form6) • Storico Monitoraggi (spinoff/form7) • Allegati (spinoff/form8)
Monitoraggio (monitoring)	Helpdesk (helpdesk)	r w d f	constitution,__PREVIOUS_STATE__,expired,sold,liquidated	• Dati generali (spinoff/form1) • Proponenti (spinoff/form2) • Istruttoria e Accreditamento (spinoff/form3) • Organi e Responsabili (spinoff/form4) • Personale, Bilancio e IP (spinoff/form5) • Accordi e Progetti (spinoff/form6) • Storico Monitoraggi (spinoff/form7) • Allegati (spinoff/form8)

Scaduto (expired)	Helpdesk (helpdesk)	r d	none	- Dati generali (spinoff/form1) - Proponenti (spinoff/form2) - Istruttoria e Accreditamento (spinoff/form3) - Organi e Responsabili (spinoff/form4) - Personale, Bilancio e IP (spinoff/form5) - Accordi e Progetti (spinoff/form6) - Storico Monitoraggi (spinoff/form7) - Allegati (spinoff/form8)
Ceduto (sold)	Helpdesk (helpdesk)	r d f	monitoring	- Dati generali (spinoff/form1) - Proponenti (spinoff/form2) - Istruttoria e Accreditamento (spinoff/form3) - Organi e Responsabili (spinoff/form4) - Personale, Bilancio e IP (spinoff/form5) - Accordi e Progetti (spinoff/form6) - Storico Monitoraggi (spinoff/form7) - Allegati (spinoff/form8)
Liquidato (liquidated)	Helpdesk (helpdesk)	r d	none	- Dati generali (spinoff/form1) - Proponenti (spinoff/form2) - Istruttoria e Accreditamento (spinoff/form3) - Organi e Responsabili (spinoff/form4) - Personale, Bilancio e IP (spinoff/form5) - Accordi e Progetti (spinoff/form6) - Storico Monitoraggi (spinoff/form7) - Allegati (spinoff/form8)

Validazioni

Nella seguente sezione viene riportato il dettaglio delle validazioni per tutte le coppie (attore, stato) del flusso.
Le validazioni sono distinte nei seguenti macrotipi e sono riferite, se non specificato altrimenti, all'oggetto radice.

- enter**: validazione applicata in ingresso nello stato
La transizione in ingresso viene NEGATA se anche solo una validazione NON viene superata con successo.
- save**: validazione applicata ad ogni salvataggio e quindi anche per ogni spostamento di TAB
Il salvataggio viene NEGATO se anche solo una validazione NON viene superata con successo.
- delete**: validazione applicata in fase di eliminazione di un oggetto radice
- element**: validazione applicata agli elementi figli di un oggetto radice
- permissions**: logiche di generazione dinamica dei permessi (rwfd) sull'oggetto radice che sovrascrive i permessi di flusso (rwfd)

Le validazioni sono ulteriormente distinte nei seguenti tipi.

- required**: validazione di obbligatorietà di un attributo sull'oggetto radice.
- complex**: validazione complessa applicabile sia all'oggetto radice che agli elementi.
Per avere maggiori dettagli sulla validazione cliccare sull'identificativo della validazione

Nel caso di validazioni di tipo **element**, oltre all'identificativo della validazione, viene riportato anche l'identificativo dell'elemento a cui è applicata e l'azione che l'ha scatenata:

- salvataggio (save)
- eliminazione (delete)

Ad esempio la seguente stringa

internalOrganizationUnit:delete *departmentDeleteValidator* indica che la validazione "departmentDeleteValidator" è applicata in eliminazione di un elemento di tipo internalOrganizationUnit dell'oggetto radice.

Per avere maggiori dettagli sui possibili elementi fare riferimento alla definizione del modello, disponibile nella sezione [Modello Dati](#).

Infine è possibile applicare le validazioni, condizionalmente al soddisfacimento di determinate condizioni (opzionali).

Queste condizioni sono specificate nella colonna "Applicabilità": se è specificato **always**, la validazione è sempre attiva.

Per avere maggiori dettagli sulle possibili condizioni di applicabilità e dei relativi parametri, fare riferimento alla lista completa nella sezione [Definizione Apply Logic](#) [condivise](#).

Stato	Attori	MacroTipo	Tipo	Attributo/Identificativo	Applicabilità
Bozza (draft)	all	enter	required	wfItemTypeId	always
				description	always
				dateMap[startDate]	always
				year	always
		element	complex	contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always
			required	wfItemTypeId	always
				description	always
				dateMap[startDate]	always
				year	always

Istruttoria (inquiry)	all	enter		clobMap[abstract]	always
				booleanMap[companyAlreadyConstituted]	always
				booleanMap[universityInfrastructureUseRequired]	always
				element:internalOrganizationUnit	always
		complex		multipleContributorValidator	always
				spinoffIntellectualPropertyValidator	always
		element	complex	contributor:save addOrgUnitFromNewOwnerValidator	always
Abbandonato (abandoned)	all	enter	required	stringMap[transitionComment]	always
		element	complex	contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always
Archiviato (archived)	all	enter	required	stringMap[transitionComment]	always
		element	complex	contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always
Sospeso (suspended)	all	enter	required	stringMap[transitionComment]	always
		element	complex	contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always
Rigettato (rejected)	all	enter	required	stringMap[transitionComment]	always
		element	complex	contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always
In accreditamento (accreditation)	all	enter	required	wfItemTyped	always
				description	always
				dateMap[startDate]	always
				year	always
			complex	clobMap[abstract]	always
				booleanMap[companyAlreadyConstituted]	always
				booleanMap[universityInfrastructureUseRequired]	always
				element:internalOrganizationUnit	always
		element	complex	multipleContributorValidator	always
				spinoffIntellectualPropertyValidator	always
				spinoffRequirementValidator	always
				attachmentValidator	always
In costituzione (constitution)	all	enter	required	wfItemTyped	always
				description	always
				dateMap[startDate]	always
				dateMap[accreditationDate]	always
				year	always
				clobMap[abstract]	always
			complex	booleanMap[companyAlreadyConstituted]	always
				booleanMap[universityInfrastructureUseRequired]	always
				element:internalOrganizationUnit	always
				multipleContributorValidator	always
				spinoffIntellectualPropertyValidator	always
				spinoffRequirementValidator	always
		element	complex	attachmentValidator	always
				approvalValidator	always
				spinoffCheckCopyContributorAndExternalOrganizationUnitInsideOwnerValidator	always
				spinoffRestoreConstitutionValidator	always
				contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always
				wfItemTyped	always
				description	always
				dateMap[startDate]	always
				dateMap[accreditationDate]	always
				dateMap[constitutionDate]	always
				year	always
				clobMap[abstract]	always
				booleanMap[companyAlreadyConstituted]	always
				booleanMap[universityInfrastructureUseRequired]	always
				stringMap[vatNumber]	always
				stringMap[cf]	always
				wfDictionaryMap[companyType]	always
				stringMap[descriptiveCompanySubject]	always
				element:internalOrganizationUnit	always

In attività (active)	all	enter	required	element:owner	always
			complex	spinoffActiveValidator	always
				roleElementValidator	always
				spinoffMemberAuthorizationCheckValidator	always
				spinoffVersionDateAndVersionSelectorValidator	booleanFieldFalse (cancelMonitoring)
				spinoffVersionMoreInformationValidator	booleanFieldFalse (cancelMonitoring)
				multipleContributorValidator	always
				spinoffIntellectualPropertyValidator	always
				spinoffRequirementValidator	always
				attachmentValidator	always
				approvalValidator	always
				spinoffFullTransferQuoteValidator	always
				spinoffHeadquartersValidator	always
				spinoffPartecipationCheckValidator	always
				spinoffVatAndCfValidator	always
				spinoffOwnershipValidator	booleanFieldFalse (cancelMonitoring)
				dateCoverageAndOverlapValidator	always
				spinoffMonitoringIntervalDatesValidator	booleanFieldFalse (cancelMonitoring)
		element	complex	contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always
Monitoraggio (monitoring)	all	enter	required	wfItemTyped	always
				description	always
				dateMap[startDate]	always
				dateMap[accreditationDate]	always
				dateMap[constitutionDate]	always
				year	always
				clobMap[abstract]	always
				booleanMap[companyAlreadyConstituted]	always
				booleanMap[universityInfrastructureUseRequired]	always
				stringMap[vatNumber]	always
				stringMap[cf]	always
				wfDictionaryMap[companyType]	always
				stringMap[descriptiveCompanySubject]	always
				element:internalOrganizationUnit	always
				element:owner	always
			complex	multipleContributorValidator	always
				spinoffIntellectualPropertyValidator	always
				spinoffRequirementValidator	always
				attachmentValidator	always
				approvalValidator	always
				spinoffHeadquartersValidator	always
		spinoffVatAndCfValidator		always	
		spinoffMemberAuthorizationCheckValidator		always	
		save	required	wfItemTyped	always
				description	always
				dateMap[startDate]	always
				dateMap[accreditationDate]	always
				year	always
				clobMap[abstract]	always
				booleanMap[companyAlreadyConstituted]	always
				stringMap[vatNumber]	always
				stringMap[cf]	always
				wfDictionaryMap[companyType]	always
			dateMap[constitutionDate]	always	
			stringMap[descriptiveCompanySubject]	always	
		complex	spinoffVersionDateAndVersionSelectorValidator	booleanFieldFalse (cancelMonitoring)	
		element	complex	contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always
				projectSpinoffLink:save spinoffItemLinkParentElementValidator	always
				contractSpinoffLink:save spinoffItemLinkParentElementValidator	always
				agreementSpinoffLink:save spinoffItemLinkParentElementValidator	always
			wfItemTyped	always	
			description	always	
			dateMap[startDate]	always	
			dateMap[accreditationDate]	always	
			dateMap[constitutionDate]	always	

Scaduto (expired)	all	enter	required	dateMap[expirationDate]	always
				year	always
				clobMap[abstract]	always
				booleanMap[companyAlreadyConstituted]	always
				booleanMap[universityInfrastructureUseRequired]	always
				stringMap[descriptiveCompanySubject]	always
				element:internalOrganizationUnit	always
				element:owner	always
			complex	multipleContributorValidator	always
				spinoffVersionDateAndVersionSelectorValidator	booleanFieldFalse (cancelMonitoring)
				spinoffVersionMoreInformationValidator	booleanFieldFalse (cancelMonitoring)
Ceduto (sold)	all	enter	required	contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always
				wfItemTyped	always
				description	always
				dateMap[startDate]	always
				dateMap[accreditationDate]	always
				dateMap[constitutionDate]	always
				dateMap[saleDate]	always
				year	always
				clobMap[abstract]	always
				booleanMap[companyAlreadyConstituted]	always
				booleanMap[universityInfrastructureUseRequired]	always
				stringMap[descriptiveCompanySubject]	always
				element:internalOrganizationUnit	always
				element:owner	always
			complex	multipleContributorValidator	always
				spinoffIntellectualPropertyValidator	always
				spinoffRequirementValidator	always
				attachmentValidator	always
				approvalValidator	always
				spinoffFullTransferQuoteValidator	always
				spinoffMemberAuthorizationCheckValidator	always
				spinoffOwnershipValidator	always
				spinoffVersionDateAndVersionSelectorValidator	booleanFieldFalse (cancelMonitoring)
				spinoffMonitoringIntervalDatesValidator	booleanFieldFalse (cancelMonitoring)
				spinoffVersionMoreInformationValidator	booleanFieldFalse (cancelMonitoring)
			element	contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always
Liquidato (liquidated)	all	enter	required	wfItemTyped	always
				description	always
				dateMap[startDate]	always
				dateMap[accreditationDate]	always
				dateMap[constitutionDate]	always
				dateMap[liquidationDate]	always
				year	always
				clobMap[abstract]	always
				booleanMap[companyAlreadyConstituted]	always
				booleanMap[universityInfrastructureUseRequired]	always
				stringMap[descriptiveCompanySubject]	always
				element:internalOrganizationUnit	always
				element:owner	always
			complex	multipleContributorValidator	always
				spinoffIntellectualPropertyValidator	always
				spinoffRequirementValidator	always
				attachmentValidator	always
				approvalValidator	always
				spinoffFullTransferQuoteValidator	always
				spinoffMemberAuthorizationCheckValidator	always
				spinoffVersionDateAndVersionSelectorValidator	booleanFieldFalse (cancelMonitoring)
			element	spinoffMonitoringIntervalDatesValidator	booleanFieldFalse (cancelMonitoring)
				spinoffVersionMoreInformationValidator	booleanFieldFalse (cancelMonitoring)
			complex	contributor:save addOrgUnitFromNewOwnerValidator	always
				intellectualPropertyType:save spinoffIntellectualPropertyTypeCheckConsistencyElementValidator	always

Logiche (action/start)

Nella seguente sezione vengono riportate le

- **START LOGICS**
Le start logics sono le "azioni" che vengono eseguite in fase di creazione di un nuovo oggetto radice
- **ACTION LOGICS**
Le action logics sono delle "azioni" che vengono eseguite al verificarsi di determinati eventi.
Gli eventi contemplati sono:
 - enter: ingresso in uno stato
 - save: salvataggio dell'oggetto radice

Di seguito viene riportato il dettaglio delle logiche definite per questo flusso.

START LOGICS

- [wfStartLogicIdentifier](#)
- [wfStartLogicYearFromStartDate](#)

ACTION LOGICS

- Bozza (draft)
 - **ENTER LOGICS**
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- Istruttoria (inquiry)
 - **ENTER LOGICS**
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- Abbandonato (abandoned)
 - **ENTER LOGICS**
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- Archiviato (archived)
 - **ENTER LOGICS**
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- Sospeso (suspended)
 - **ENTER LOGICS**
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- Rigettato (rejected)
 - **ENTER LOGICS**
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- In accreditamento (accreditation)
 - **ENTER LOGICS**
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- In costituzione (constitution)
 - **ENTER LOGICS**
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - [spinoffWfActionLogicCopyContributorAndExternalOrganizationUnitInsideOwner](#)
 - [spinoffWfActionLogicRestoreConstitution](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- In attività (active)
 - **ENTER LOGICS**
 - [wfActionLogicVersionize](#)
 - [spinoffWfActionLogicOwnerSummary](#)
 - [spinoffWfActionLogicBalancePreviousYear](#)
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**

- [wfActionLogicSaveNewYear](#)
- Monitoraggio (monitoring)
 - **ENTER LOGICS**
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- Scaduto (expired)
 - **ENTER LOGICS**
 - [wfActionLogicVersionize](#)
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- Ceduto (sold)
 - **ENTER LOGICS**
 - [wfActionLogicVersionize](#)
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)
- Liquidato (liquidated)
 - **ENTER LOGICS**
 - [wfActionLogicVersionize](#)
 - [wfActionLogicEnterMailSender](#)
 - [wfActionLogicTransitionLogger](#)
 - **SAVE LOGICS**
 - [wfActionLogicSaveNewYear](#)